

Windows Driver Manual Label Printer

Rev. 1.00

SRP-770 / 770II / 770IIE SLP-T400 / T400E SLP-T403 / T403E SLP-D400 / D400E SLP-D403 / D403E SLP-D420 / D423



http://www.bixolon.com

Table of Contents

1. Foreword	3
2. Operating System Environment	3
3. Windows Driver	3
4. Windows Driver Installation	4
4-1 Serial or Parallel interface 4-2 USB interface	4
5. Windows Driver Uninstallation	8
6. Printer Setting	9
6-1 Option Window 6-2 Add User-defined paper size	9 10
7. Main Specification	12
7-1 Resolutions 7-2 Paper Sizes	12 12

1. Foreword

This manual is designed to explain how to install and use Windows Driver for BIXOLON label printers. Please read this manual carefully so that you can take full advantage of the driver's capabilities.

Target Models: SRP-770, SRP-770II, SRP-770IIE, SLP-T400, SLP-T400E, SLP-T403, SLP-T403E, SLP-D400, SLP-D400E, SLP-D403, SLP-D403E, SLP-D420, SLP-D423

We at BIXOLON maintain ongoing efforts to enhance and upgrade the functions and quality of all our products. In following, product specifications and/or user manual content may be changed without prior notice.

2. Operating System Environment

BIXOLON Windows Drivers can run on any of the following operating systems.

Microsoft Windows 2000 Microsoft Windows XP (32bit/64bit) Microsoft Windows 2003 Server (32bit/64bit) Microsoft Windows Embedded For Point Of Service Microsoft Windows Vista (32bit/64bit) Microsoft Windows 7 (32bit/64bit)

3. Windows Driver

The Windows Driver is included in the enclosed CD, and Latest file versions can be downloaded from the BIXOLON website. (www.bixolon.com)

The file is BIXOLON Label Printer Driver VX.X.X.zip.

4. Windows Driver Installation

4-1 Serial or Parallel interface

1) Double click "Win SRP-770II_VX.X.X.exe" file.

2) Click "Next" Button.

BIXOLON PRINTER SRP	-770II Installation	X
	Welcome to the InstallShield Wizard for BIXOLON Printer Driver SRP-770II The InstallShield® Wizard will install BIXOLON Printer Driver SRP-770II on your computer. To continue, click Next.	
Install Shield	< Back Cance	e la

3) Click "Install" Button.



4) Select interface(port) type.

Select Port Type	
Serial Port	Parallel Port—
C COM1 C COM3	
C COM2 C COM4	C LPT2
USB Port	
C USB	<u>N</u> ext
	L

5) Please click "OK"



4-2 USB interface

- 1) Double click "Win SRP-770II_VX.X.X.exe" file.
- 2) Click "Next" Button.



3) Click "Install" Button.



4) Select "USB" interface(port) type.

Select Port Type	
Serial Port	Parallel Port—
C COM1 C COM3	C LPT1
C COM2 C COM4	C LPT2
USB Port	
• USB	<u>N</u> ext

5) Please turn-off printer and turn-on printer.



5. Windows Driver Uninstallation

- 1) Click on the Start button, and then click on Settings > Control Panel.
- 2) Double click "Add/Remove Programs" icon.
- 3) Select "BIXOLON SRP-770II POS Windows Driver X.X.X".
- 4) Click "Change/Remove" button.
- 5) Select printer to remove.

BIXOLON SRP-770II Uninstaller	
BIXOLON SRP-7701	
Progress Status	
Uninstall	Cancel

- 6) Click "Uninstall" Button.
- 7) Please reboot computer.



6. Printer Setting

6-1 Option Window

🕹 BIXOLON SRP-77011 Pr	inting Preferences 🛛 🛛 🔀
Barcode Fonts	Command Fonts
Options Advanced Setur	D Dithering Stocks Printer Memory
Settings	
No. Of Copies:	1
Speed:	5 • "/s
Darkness:	17 •
Stocks:	User defined
Paper Format	
C cm	portrait
C mm	A Clandscape
inch	└── rotate 180*
Size	
Width: 4.00	
Height: 12.0	0
Unprintable Area	
Left: 0.00	Top: 0.00
Right: 0.00	Bottom: 0.00
ОК	Cancel Apply Help

In the Option windows you can set the various printer properties including paper size, density, speed, printing direction, paper margin or so.

Label Printer

6-2 Add User-defined paper size

1) Press Printing Preferences...(I) button.

29	BIXOLON SBP-770	1		
	DIAGEON SHI TAG	·		
Location:				
<u>C</u> omment:				
M <u>o</u> del:	BIXOLON SRP-7701			
Features				
Color: No		Paper available:		
Double-sided: No Staple: Unknown Speed: Unknown Maximum resolution: 203 dpi		User defined BIXOLON 1.5 x 1.0 (inch) BIXOLON 1.5 x 1.5 (inch) BIXOLON 1.5 x 2.0 (inch) BIXOLON 2.0 x 1.0 (inch) BIXOLON 2.0 x 1.5 (inch)		
	Printing	Preferences Print <u>T</u> est Page		

2) Press New...(N) button.

BIXOLON SRP-770II Printing Preference	nces	? 🛛
Barcode Fonts	Command	Fonts
Custom Commands Import/Export s	settings	About
Options Advanced Setup Dithering	Stocks	Printer Memory
Defined stocks BIXOLON 1.5 x 1.0 (inch) BIXOLON 1.5 x 1.5 (inch) BIXOL ON 1.5 x 2.0 (inch)		
BIXOLON 2.0 × 1.0 (inch) BIXOLON 2.0 × 1.0 (inch) BIXOLON 2.0 × 1.5 (inch) BIXOLON 2.5 × 1.0 (inch) BIXOLON 2.5 × 1.0 (inch) BIXOLON 2.5 × 1.5 (inch)		
BIXOLON 2.5 x 1.0 (inch) BIXOLON 3.0 x 1.0 (inch) BIXOLON 3.0 x 1.5 (inch)		
Stock description		
BIXOLON 1.5 x 1.0 (inch)		
Description		
Define your own label stock here and sa stock stores label dimensions and some	ave it for futu printer settin	ıre use. Each ıgs.
New Change		Delete
OK Cancel	Apply	Help

3) Input the paper properties and press OK button.

BIXOLON 1.5	i x 1.0 (i	nch)		
) Diptions				
Darkness		17	•	
Speed		5	-	"/s
Dimensions		-	141 9461	
Label Width		1.50		inch
Label Height		1.00		inch
Jnprintable Area				
Left:	0.00		Тор:	0.00
Right:	0.00		Bottom:	0.00
	-1	C - 10	ool	Hala

7. Main Specification

7-1 Resolutions

BIXOLON SRP-770 : 203×203 dpi BIXOLON SRP-770II : 203×203 dpi BIXOLON SRP-770IIE : 203×203 dpi BIXOLON SLP-7400 : 203×203 dpi BIXOLON SLP-7400E : 203×203 dpi BIXOLON SLP-7403E : 300×300 dpi BIXOLON SLP-7403E : 300×300 dpi BIXOLON SLP-D400E : 203×203 dpi BIXOLON SLP-D400E : 203×203 dpi BIXOLON SLP-D403E : 300×300 dpi BIXOLON SLP-D420 : 203×203 dpi BIXOLON SLP-D423 : 300×300 dpi

7-2 Paper Sizes

- 1.5 x 1.0 inch (38.1 x 25.4 cm) 1.5 x 1.5 inch (38.1 x 38.1 cm) 1.5 x 2.0 inch (38.1 x 50.8 cm) 2.0 x 1.0 inch (50.8 x 25.4 cm) 2.0 x 1.5 inch (50.8 x 38.1 cm) 2.0 x 2.0 inch (50.8 x 50.8 cm) 3.0 x 1.0 inch (76.2 x 25.4 cm) 3.0 x 1.5 inch (76.2 x 38.1 cm) 3.0 x 2.0 inch (76.2 x 50.8 cm) 3.5 x 1.0 inch (98.9 x 25.4 cm) 3.5 x 1.5 inch (98.9 x 38.1 cm) 3.5 x 2.0 inch (98.9 x 50.8 cm) 3.5 x 3.0 inch (98.9 x 76.2 cm) 3.5 x 4.0 inch (98.9 x 101.6 cm) 3.5 x 6.0 inch (98.9 x 152.8 cm) 4.0 x 1.0 inch (98.9 x 25.4 cm) 4.0 x 1.5 inch (98.9 x 38.1 cm)
- 4.0 x 2.0 inch (98.9 x 50.8 cm) 4.0 x 3.0 inch (98.9 x 76.2 cm) 4.0 x 4.0 inch (98.9 x 101.6 cm) 4.0 x 6.0 inch (98.9 x 152.8 cm) 4.0 x 8.0 inch (98.9 x 203.2 cm) 4.0 x 12.0 inch (98.9 x 305.6 cm)