

PP-9745 & PP-9745W



15.0" PP-9745
Format 4:3

Speaker

Speaker

LED Indicator
Blue = System On
Red = System Off


Power Button



Choose Dual Hinge or Single Hinge

Dual Hinge =
Hinge #1 + Hinge #2

Single Hinge =
Hinge #1
D.I.Y. installation by
customer



15.6" PP-9745
Widescreen

LED Indicator
Blue = System On
Red = System Off

Power Button

Speaker

Speaker




Color Plan



Ambient Light Sensor


FEC



Der Umgebungslichtsensor kann die Hintergrundbeleuchtung des Panels an die Umgebungshelligkeit anpassen. Einstellung im BIOS.

	PP-9745	PP-9745W
Processor	Alder Lake –S Up to i5	Alder Lake –S Up to i5
Chipset	Intel i3/i5-12100 / H610	Intel i3/i5-12100 / H610
Screen Size	15"	15.6"
Aspect Ratio	4 : 3	16 : 9
Resolution	1024 x 768	1920 x 1080
Touch	P-Cap	P-Cap
Brightness	350 nits / LED	300 nits / LED
Memory	DDR4 (1 x SODIMM Socket) Up to 32GB	
Storage	M.2 x 1 PCIe Gen III 2280 (Default) Tray	
OS Support	Windows 10 Enterprise Windows 11 Enterprise Linux by Request	
Speaker	2W x 2	
Power adapter	90W or 130W	
TPM2.0	Hardware TPM	

I/O Interface



1

Smart I/O port to DB9 (RS232) Male Port



2

Smart I/O port to DC-out 12V



3

Smart I/O port to PUSB12V



4

Smart I/O port to
USB 2.0 Type B
Male and DC-out
24V (3pin)



5

Smart I/O port to
USB 2.0 Type B
Male and DC-out
12V



Peripherals



Add-on Devices

- MSR
- Fingerprint Reader
- RFID
- iButton
- MSR & RFID 2 in 1

2nd Displays

XP-2025 Customer Display
XM-3010W (Smart DP)



Arm Type (Available for Dual hinge & Single Hinge Stands)

2nd Displays

Smart DD Board:
XM-3015
XM-3015W



Arm Type with Low Profile (Available for Dual Hinge Stand)

2nd Displays

Smart DD Board:

XM-3015

XM-3015W



Pole Type



2nd Displays


Smart DD Board:
XM-3015
XM-3015W

Mounting

Wallmount kit
Type I
Mounting Kit
VESA 100 x 100




Wallmount kit
Type II
Mounting Kit
VESA 100 x 100





Option: power adaptor can be held underneath the stand

90W or 130W Power Adaptor



Competitors



	FEC	Wincor	HP	NCR	Posiflex
					
Model	PP-9745 PP-9745W	BEETLE A1050 BEETLE A1150	ELITEPOS 2	CX7	RT-6105 RT-6106
CPU	i3-12100TE i5-12500TE	Celeron 4305UE Core i3-8145UE Core i5-8365UE	Celeron 3965U i3 - 7100U i5 - 7300U	G4900T i3-8100T i5-8500T	Core i3-8145UE Core i5-8365UE
Memory	32G	32G	32G	32G	32G
Storage	SSD	SSD	SSD	SSD	SSD
Display Sizes	15" 15.6"	15" 15.6"	14"	15.6" 18.5"	15" 15.6"
Add-on Devices	MSR/FP/iButton/RFID/ D/ 2 IN 1	MSR/FP/iButton/RFID/ 2 IN 1	MSR/FP/iButton/RFID/ 2 IN 1/Printer	MSR/FP/iButton/RFID/ 2 IN 1	MSR/FP/iButton/RFID/ 2 IN 1/UPS
Customer Display	LCM	N/A	LCM	LCM	VFD
2 nd Display	10,"15", 15.6"	10"	N/A	7",10"	10",15"
Mounting	VESA 100	VESA 100	VESA 100	VESA 100	VESA 100

FEC

THANK YOU